## PATENT ABSTRACTS OF JAPAN

(11) Publication number: 11269029 A

(43) Date of publication of application: 05.10.99

(51) Int. CI

A61K 7/00 A61K 7/48 A61K 31/66 A61K 35/78

(21) Application number: 10090840

(22) Date of filing: 19.03.98

(71) Applicant:

SHISEIDO CO LTD

(72) Inventor:

TOKUE WATARU NISHIYAMA SEIJI

a 16C saturated fatty acid residue or a 18C fatty acid residue having two unsaturated double bonds is

## (54) PREPARATION FOR EXTERNAL USE FOR SKIN

## (57) Abstract:

PROBLEM TO BE SOLVED: To obtain the subject preparation which has excellent improvement- prevention effect on skin-roughening and skin-drying, keeps elasticity of the skin and shows excellent aging inhibitory effect by blending an extract from a plant belonging to the genus Fagus of the family Fagaceae, a 1- acyllysophospholipid and an extract from Gambir.

SOLUTION: This preparation is obtained by blending (A) an extract from a plant belonging to the genus Fagus of the family Fagaceae, (B) a 1- acyllysophospholipid of formula I or II. (R1 is a 11-18C saturated fatty acid residue or a 18C fatty acid residue having 1-3 unsaturated double bonds; R2 is a 13-18C saturated fatty acid residue or a 18C fatty acid residue having 1-3 unsaturated double bonds; M is H or an alkali metal) and (C) an extract from Uncaria gambir which is a lianous evergreen shrub growing wild or cultivated in India or the like. The component A is blended preferably in a proportion of 0.01-1 wt.% and the components B and C are blended preferably in proportions of 0.001-0.1 wt.%, respectively, based on the whole weight of the preparation for external use for the skin. As the component B, the compound of formula II in which R2 is

favorable.

COPYRIGHT: (C)1999,JPO

II